



www.bilkes.com.tr

► HARD METAL KESİCİ TAKIMLAR SAPLI



www.bilkes.com.tr



BİL KES




BK 0800

HARD METAL PARMAK FREZE BİÇAKLARI
T.C.T. ROUTER BIT


ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK 0800-01	3	14	65	12-14	2
BK 0800-02	4	15	65	12-14	2
BK 0800-03	5	18	68	12-14	2
BK 0800-04	6	20	70	12-14	2
BK 0800-05	7	25	75	12-14	2
BK 0800-06	8	25	75	12-14	2
BK 0800-07	8	32	82	12-14	2
BK 0800-08	9	25	75	12-14	2
BK 0800-09	9	35	85	12-14	2
BK 0800-10	10	25	75	12-14	2
BK 0800-11	10	35	85	12-14	2
BK 0800-12	12	30	85	14	2
BK 0800-13	12	40	85	14	2



BK 0810

HARD METAL PARMAK FREZE BİÇAKLARI
T.C.T. ROUTER BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK 0810-01	3	14	60	6	2
BK 0810-02	4	15	60	6	2
BK 0810-03	5	20	60	6	2
BK 0810-04	6	20	60	6	2
BK 0810-05	8	20	60	8	2
BK 0810-06	10	25	65	10	2



122

www.bilkes.com.tr




BİLKES



BK 0820

HARD METAL RADÜS PARMAK FREZE BİÇAKLARI
T.C.T. ROUTER BIT RADUS



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK 0820-01	4	14	65	12-14	2
BK 0820-02	5	15	65	12-14	2
BK 0820-03	6	15	65	12-14	2
BK 0820-04	8	20	70	12-14	2
BK 0820-05	10	20	70	12-14	2
BK 0820-06	12	20	70	12-14	2





BİLKES



BK 0830

HARD METAL PARMAK FREZE BİÇAKLARI
T.C.T. ROUTER BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK 0830-01	14	30	70	14	2
BK 0830-02	15	35	75	14	2
BK 0830-03	16	35	75	14	2
BK 0830-04	18	35	75	14	2
BK 0830-05	20	35	75	14	2
BK 0830-06	22	35	75	14	2
BK 0830-07	24	35	75	14	2
BK 0830-08	25	35	75	14	2
BK 0830-09	26	35	75	14	2
BK 0830-10	28	35	75	14	2
BK 0830-11	30	30	70	14	2





BİLKES





BK 0840

HARD METAL RADIUS EBATLAMA PARMAK FREZE BİÇAĞI
TCT RADIUS PROFILE ROUTER CUTTER

ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK 0840-01	22	12	24	18.7	2	-	65	20	2
BK 0840-02	22	12	24	18.7	3	-	65	20	2
BK 0840-03	24	12	24	18.7	4	-	65	20	2
BK 0840-04	24	12	24	18.7	5	-	65	20	2



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK 0850-01	26	10	24	19	8	-	65	20	2




BİLKES




BK 0860


HARD METAL KENAR TEMİZLEME ve KÖŞE KIRMA BİÇAKLARI
T.C.T. STRBIGHT BIT DOUBLE FLUTED



BK 0860-01



BK 0860-02



BK 0860-03



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK 0860-01	26	12	25	20	-	45	65	20	2
BK 0860-02	20	10	30	25	60	-	65	20	2
BK 0860-03	30	10	23	20	5	-	65	20	2




BİL KES




BK 01140

HARD METAL ÇOK AMAÇLI PROFİL FREZE BİÇAĞI
T.C.T. MULTI PROFILE ROUTER BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	r1	r2	r3	L	d	Z
BK 01140-01	50	16	44	7	8	6	61	14	2



150

www.bilkes.com.tr




BİLKES



BK 01150

HARD METAL KIRLANGIÇ FREZE BİÇAKLARI
T.C.T. DOVETAIL CUTTERS




ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r1	a	L	d	Z
BK 01150-01	16	-	14	-	-	7	60	14	2
BK 01150-02	19	-	12	-	-	14	60	14	2
BK 01150-02	24	-	15	-	-	14	60	14	2

BK 01160

HARD METAL RAF KANAL BİÇAĞI
T.C.T. SHELF SLOTTING CUTTER



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r1	r2	L	d	Z
BK 01160-01	33	11	19	9	-	-	65	12	2





BİLKES



BK 01170

HARD METAL MENTEŞE MATKAPLARI
T.C.T. HINGE BORING BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	d	L	Z	V
BK 01170-01	15	10	57-70	2	2
BK 01170-02	16	10	57-70	2	2
BK 01170-03	18	10	57-70	2	2
BK 01170-04	20	10	57-70	2	2
BK 01170-05	22	10	57-70	2	2
BK 01170-06	23	10	57-70	2	2
BK 01170-07	24	10	57-70	2	2
BK 01170-08	25	10	57-70	2	2
BK 01170-09	26	10	57-70	2	2
BK 01170-10	28	10	57-70	2	2
BK 01170-11	30	10	57-70	2	2
BK 01170-12	35	10	57-70	2	2
BK 01170-13	40	10	57-70	2	2
BK 01170-14	45	12	70	2	2
BK 01170-15	50	12	70	2	2
BK 01170-16	55	12	70	2	2
BK 01170-17	60	12	70	2	2






BİL KES



BK 01180

HARD METAL SPOT-BUAT ASPİRATÖR DELİK YERİ AÇMA MATKAPLARI
T.C.T. PROFILE CUTTERS BLOCK



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	L	Z
BK 01180-01	40	40	10-12	90	2
BK 01180-02	45	40	10-12	90	2
BK 01180-03	50	40	10-12	90	2
BK 01180-04	55	40	10-12	90	2
BK 01180-05	60	40	10-12	90	2
BK 01180-06	65	40	12	90	2
BK 01180-07	70	40	12	90	2
BK 01180-08	130	35	12	90	2





BİLKES




BK 01190

HARD METAL YARIM DELİK MATKAPLARI
T.C.T. DOWEL DRILL FOR BLIND HOLES


ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	L	Z	V
BK 01190-01	4	35	10	57	2	2
BK 01190-02	5	35	10	57	2	2
BK 01190-03	6	35	10	57	2	2
BK 01190-04	8	35	10	57	2	2
BK 01190-05	9	35	10	57	2	2
BK 01190-06	10	35	10	57	2	2



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	L	Z	V
BK 01200-01	4	48	10	70	2	2
BK 01200-02	4.5	48	10	70	2	2
BK 01200-03	5	48	10	70	2	2
BK 01200-04	5.5	48	10	70	2	2
BK 01200-05	6	48	10	70	2	2
BK 01200-06	7	48	10	70	2	2
BK 01200-07	7.5	48	10	70	2	2
BK 01200-08	8	48	10	70	2	2
BK 01200-09	8.5	48	10	70	2	2
BK 01200-10	9	48	10	70	2	2
BK 01200-11	10	48	10	70	2	2
BK 01200-12	10.5	48	10	70	2	2
BK 01200-13	11	48	10	70	2	2
BK 01200-14	12	48	10	70	2	2
BK 01200-15	13	48	10	70	2	2
BK 01200-16	14	48	10	70	2	2
BK 01200-17	15	48	10	70	2	2
BK 01200-18	5	63	10	85	2	2
BK 01200-19	6	63	10	85	2	2
BK 01200-20	7	63	10	85	2	2
BK 01200-21	8	63	10	85	2	2
BK 01200-22	10	63	10	85	2	2
BK 01200-23	5	83	10	105	2	2
BK 01200-24	8	83	10	105	2	2
BK 01200-25	10	83	10	105	2	2





BİLKES




BK 01210

HARD METAL TAM DELİK MATKAPLARI
T.C.T. DOWEL DRILL FOR TROUGH HOLES


ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	L	Z	V
BK 01210-01	4	35	10	57	2	2
BK 01210-02	5	35	10	57	2	2
BK 01210-03	6	35	10	57	2	2
BK 01210-04	8	35	10	57	2	2
BK 01210-05	9	35	10	57	2	2
BK 01210-06	10	35	10	57	2	2



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	L	Z	V
BK 01220-01	4	48	10	70	2	2
BK 01220-02	4.5	48	10	70	2	2
BK 01220-03	5	48	10	70	2	2
BK 01220-04	6	48	10	70	2	2
BK 01220-05	7	48	10	70	2	2
BK 01220-06	8	48	10	70	2	2
BK 01220-07	9	48	10	70	2	2
BK 01220-08	10	48	10	70	2	2
BK 01220-09	12	48	10	70	2	2
BK 01220-10	15	48	10	70	2	2
BK 01220-11	5	63	10	85	2	2
BK 01220-12	6	63	10	85	2	2
BK 01220-23	7	63	10	85	2	2
BK 01220-24	8	63	10	85	2	2
BK 01220-25	10	63	10	85	2	2
BK 01220-26	5	83	10	105	2	2
BK 01220-27	8	83	10	105	2	2
BK 01220-28	10	83	10	105	2	2



155



BİL KES




BK 01230

HARD METAL SABİT HAVŞALI DELİK MATKAPLARI
T.C.T. SPECIAL COUNTERBORE, COUNTER SINK

ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	L	Z	V
BK 01230-01	8	12	10	57	2+2	2
BK 01230-02	8	12	10	70	2+2	2




BK 01240

ÇOKLU DELİK MATKAP ADAPTÖRÜ

ÖLÇÜLER - dimension (mm)

KOD / CODE	D	d	L
BK 01240-01	2	10	45
BK 01240-02	2.5	10	45
BK 01240-03	3	10	45
BK 01240-04	3.2	10	45
BK 01240-05	3.5	10	45
BK 01240-06	4	10	45
BK 01240-07	4.5	10	45







BİLKES

**BK 01250****HARD METAL HAVŞALI MATKAPLAR**
T.C.T. DRILLS WITH COUNTER SINK**ÖLÇÜLER - dimension (mm)**

KOD / CODE	D	D1	b	d	a	Z
BK 01250-01	16	3	8	10	45	2
BK 01250-02	16	3.5	8	10	45	2
BK 01250-03	16	4	8	10	45	2
BK 01250-04	16	4.5	8	10	45	2
BK 01250-05	16	5	8	10	45	2
BK 01250-06	16	6	8	10	45	2

**BK 01260****HARD METAL HAVŞA MATKAPLARI**
T.C.T. COUNTER SINK**ÖLÇÜLER - dimension (mm)**

KOD / CODE	D	b	d	a	Z
BK 01260-01	18	11	4	45	2
BK 01260-02	18	11	5	45	2
BK 01260-03	18	11	6	45	2
BK 01260-04	18	11	7	45	2
BK 01260-05	18	11	8	45	2
BK 01260-06	20	11	9	45	2
BK 01260-07	20	11	10	45	2
BK 01260-08	22	11	12	45	2






BİLKES



BK 01270

HARD METAL KAPI KONTRA BOŞALTMA BİÇAĞI
T.C.T. DRILT POINT DOUBLE FLUSH TRIMMING BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	L	Z
BK 01270-01	10	25	12	80	2






BİL KES



BK 01280

HARD METAL KAPI KİLİT YERİ AÇMA MATKAPLARI
T.C.T. RECIPROCATING SLOT MORTISE BIT - DRILL FOR LOCKS



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	L	Z
BK 01280-01	18	85	25-(M16X1.5)	135	2
BK 01280-02	25	95	25-(M16X1.5)	146	2
BK 01280-03	24	12	25-(M12X1.5)	55	2




BİLKES




BK 01290

HARD METAL KAPI KİLİT YERİ AÇMA MATKAPLARI
T.C.T. RECIPROCATING SLOT MORTISE BIT - DRILL FOR LOCKS



BK 01290-01



BK 01290-02



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	L	Z
BK 01290-01	18	105	16	160	2
BK 01300-02	25	15	13	156	2