



www.bilkes.com.tr

► TAKMA UÇLU KESİCİ TAKIMLAR



www.bilkes.com.tr




BİLKES




BK-J 0100


TAKMA UÇLU PARMAK FREZE BİÇAKLARI
ROUTER BITS WITH TURNBLADE KNIVES



BK-J 0100-01/03



BK-J 0100-04/06



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK-J 0100-01	12	29.5	86	14	1
BK-J 0100-02	14	29.5	86	14	1
BK-J 0100-03	16	29.5	86	14	1
BK-J 0100-04	18	30	90	20	1
BK-J 0100-05	18	40	100	20	1
BK-J 0100-06	18	50	110	20	1




BİLKES



BK-J 0110

TAKMA UÇLU PARMAK FREZE BİÇAKLARI
ROUTER BITS WITH TURNBLADE KNIVES



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK-J 0110-01	18	50	120	20	2+1
BK-J 0110-02	18	60	130	20	2+1
BK-J 0110-03	20	50	120	20	2+1
BK-J 0110-04	20	60	130	20	2+1




BİLKES



BK-J 0120

TAKMA UÇLU PARMAK FREZE BİÇAKLARI
ROUTER BITS WITH TURNBLADE KNIVES



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK-J 0120-01	18	50	121	20	2+1
BK-J 0120-02	20	50	121	20	2+1




BİLKES




BK-J 0130


TAKMA UÇLU PARMAK FREZE BİÇAKLARI
ROUTER BITS WITH TURNBLADE KNIVES



BK-J 0130-01/03



BK-J 0130-04



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK-J 0130-01	25	29.5	115	20	2+2
BK-J 0130-02	25	39.5	125	20	2+2
BK-J 0130-03	25	49.5	135	20	2+2
BK-J 0130-04	30	78	140	20	2+2





BİLKES



BK-J 0140

TAKMA UÇLU PARMAK FREZE BİÇAKLARI
ROUTER BITS WITH TURNBLADE KNIVES



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK-J 0140-01	25	98	157	25	1+1




BİLKES




BK-J 0150

TAKMA UÇLU PARMAK FREZE BİÇAKLARI
ROUTER BITS WITH TURNBLADE KNIVES



BK-J 0150-01/03



BK-J 0150-04



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK-J 0150-01	19	30	80	14	2
BK-J 0150-02	19	40	90	14	2
BK-J 0150-03	19	50	100	14	2
BK-J 0150-04	18	12	87	14	2




BİLKES



BK-J 0160

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE ROUTER BIT FOR REBATING



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK-J 0160-01	39	12	70	14	2
BK-J 0160-02	59	12	70	14	2
BK-J 0160-03	79	12	70	16	2




BİLKES



BK-J 0170

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE ROUTER BIT FOR REBATING



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK-J 0170-01	50	12	89	20	4
BK-J 0170-02	80	12	89	20	4
BK-J 0170-03	100	12	89	20	4





BİLKES



BK-J 0180

TAKMA UÇLU TEMİZLEME TOPU
ROUTER BIT WITH TURNBLADE KNIVES



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z	V
BK-J 0180-01	60	30	84	20	4	2
BK-J 0180-02	60	50	104	20	4	2
BK-J 0180-03	60	60	114	20	4	2
BK-J 0180-04	40	50	104	20	3	-
BK-J 0180-05	50	50	104	20	4	-





BİLKES



BK-J 0190

TAKMA UÇLU HELİS TEMİZLEME TOPU
SPIRAL ROUTER BIT WITH TURNBLADE KNIVES



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z	V
BK-J 0190-01	50	50	100	20	4X2	-




BİLKES



BK-J 0200

TAKMA UÇLU HELİS TEMİZLEME TOPU
SPIRAL ROUTER BIT WITH TURNBLADE KNIVES



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z	V
BK-J 0200-01	35	65	130	20	3X3	-




BİLKES




BK-J 0210

RULMANLI TAKMA UÇLU TEMİZLEME BİÇAĞI
ROUTER BIT WITH TURNBLADE KNIVES AND BALLBEARING



BK-J 0210-01/03



BK-J 0210-04



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	L	d	Z
BK-J 0210-01	19	30	88	14	2
BK-J 0210-02	19	40	98	14	2
BK-J 0210-03	19	50	108	14	2
BK-J 0210-04	16	29.5	86	14	2




BİLKES




BK-J 0220


TAKMA UÇLU LAMBA BİÇAĞI
CHANGE BLADE PROFILE ROUTER BIT



BK-J 0220-01



BK-J 0220-02



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	L	d	Z
BK-J 0220-01	35	13	30	81	12	2
BK-J 0220-02	37	-	50	108	14	2




BILKES





BK-J 0230


TAKMA UÇLU 90° FREZE BİÇAĞI
V-GROOVING ROUTER BIT WITH TURNBLADE KNIVES 90°



BK-J 0230-01



BK-J 0230-02



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK-J 0230-01	17	-	8.5	-	-	90	67	12	1
BK-J 0230-02	37	-	25	18.5	-	90	88	20	2




BİLKES




BK-J 0240

TAKMA UÇLU 90° FREZE BİÇAĞI
V-GROOVING ROUTER BIT WITH TURNBLADE KNIVES 90°



BK-J 0240-01



BK-J 0240-02



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK-J 0240-01	40	-	18	-	-	90	86	16	1
BK-J 0240-02	68	-	32	-	-	90	110	20	1




BİLKES



BK-J 0250

TAKMA UÇLU 90° FREZE BİÇAĞI
V-GROOVING ROUTER BIT WITH TURNBLADE KNIVES 90°



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK-J 0250-01	95	22	35	-	-	90	107	16	1




BİLKES



BK-J 0260

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE PROFILE ROUTER BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK-J 0260-01	70	30	49	29	-	45	115	20	2+2







BİLKES



BK-J 0270

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE PROFILE ROUTER BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK-J 0270-01	24	-	20	6	5	-	86	20	2
BK-J 0270-02	24	-	20	5	10	-	86	20	2




BILKES




BK-J 0270

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE PROFILE ROUTER BIT



BK-J 0270-03



BK-J 0270-04



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	r2	L	d	Z
BK-J 0270-03	27	9	20	2.5	2	-	86	20	2
BK-J 0270-04	30	-	20	8	5	10	86	20	2






BİLKES



BK-J 0270

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE PROFILE ROUTER BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK-J 0270-05	24	-	20	12	2	45	86	20	2
BK-J 0270-06	26	-	20	13	5	45	86	20	2





BILKES



BK-J 0280

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE PROFILE ROUTER BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK-J 0280-01	36	11	25	10	5	-	87	20	2
BK-J 0280-02	33	-	25	9	5	-	87	20	2




BİLKES




BK-J 0280

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE PROFILE ROUTER BIT



BK-J 0280-03



BK-J 0280-04



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK-J 0280-03	36	-	25	10	5	-	87	20	2
BK-J 0280-04	33	-	25	10	21	-	87	20	2







BİLKES



BK-J 0280

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE PROFILE ROUTER BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK-J 0280-05	35	-	25	15	15	-	87	20	2
BK-J 0280-06	36	-	25	10	-	29	87	20	2





BİLKES



BK-J 0290

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE PROFILE ROUTER BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	r2	L	d	Z
BK-J 0290-01	48	-	25	10	15	-	87	20	2
BK-J 0290-02	42	22	25	10	6	3	87	20	2





BİLKES



BK-J 0290

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE PROFILE ROUTER BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK-J 0290-03	41	-	25	7	9	-	87	20	2
BK-J 0290-04	45	-	25	6.5	-	16	87	20	2




BİLKES




BK-J 0300

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE PROFILE ROUTER BIT



BK-J 0300-01



BK-J 0300-02



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK-J 0300-01	68	-	20	6	65	-	88	20	2
BK-J 0300-02	68	-	20	7	-	12	88	20	2




BİLKES



BK-J 0310

TAKMA UÇLU PROFİL BİÇAKLARI
CHANGEABLE BLADE PROFILE ROUTER BIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	D1	b	s	r	a	L	d	Z
BK-J 0310-01	49	39	30	25	5	-	94	20	2
BK-J 0310-02	49	37	30	25	6	-	94	20	2
BK-J 0310-03	49	33	30	25	8	-	94	20	2




BİLKES



BK-J 0320

TAKMA UÇLU TEMİZLEME TOPU
ROUTER BIT WITH TURNBLADE KNIVES



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	Z	V
BK-J 0320-01	85	30	30	4	-
BK-J 0320-02	85	30	30	4	4
BK-J 0320-03	85	50	30	4	-
BK-J 0320-04	85	50	30	4	4
BK-J 0320-05	85	60	30	4	-
BK-J 0320-06	85	100	30	4+4	-
BK-J 0320-07	125	50	30	4	4




BİLKES





BK-J 0320

TAKMA UÇLU TEMİZLEME TOPU
ROUTER BIT WITH TURNBLADE KNIVES



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	Z	MİN	MAX
BK-J 0330-01	120	30	30	4	30	58
BK-J 0330-02	120	50	30	4	50	98






BILKES



BK-J 0340

TAKMA UÇLU HELİS TEMİZLEME BİÇAKLARI
CHANGEABLE BLADE JOINING CUTTERS



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	Z
BK-J 0340-01	85	50	30	6
BK-J 0340-02	85	65	30	6
BK-J 0340-03	85	80	30	6
BK-J 0340-04	85	100	30	6
BK-J 0340-05	100	125	30	6
BK-J 0340-06	100	180	30	6
BK-J 0340-07	125	150	35-40	6
BK-J 0340-08	125	200	35-40	6
BK-J 0340-09	125	230	35-40	6




BİLKES



BK-J 0350

TAKMA UÇLU KOMPOZİT BİÇAKLARI
CUTTERHEAD WITH TURNBLADE KNIVES FOR ALUCOMPOSIT



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	Z
BK-J 0350-01	180	17.5	30	8
BK-J 0350-02	200	17.5	30	8

BK-J 0360

SERT METAL - HSS PLANYA TOPLARI
PLANER CUTTERHEADS STEEL BODY



ÖLÇÜLER - dimension (mm)

KOD / CODE	D	b	d	Z
BK-J 0360-01	125	100	35-40	4
BK-J 0360-02	125	125	35-40	4
BK-J 0360-03	125	150	35-40	4
BK-J 0360-04	125	180	35-40	4
BK-J 0360-05	125	200	35-40	4
BK-J 0360-06	125	220	35-40	4
BK-J 0360-07	125	230	35-40	4
BK-J 0360-08	125	40	35-40	4